




ZIPTRAK®



ZIPTRAK®

Ziptrak® blinds connect your indoor and outdoor environments into one harmonious space. Ziptrak® outdoor blinds instantly create a brand new space in your home, ready to entertain family and friends at a moment's notice. Protected at any time of the year, with a sense of seclusion and sanctuary, you'll spend more time enjoying life outdoors.

EASY AND FAST OPERATION

The track guided system is simple and safe to operate – no zips, ropes or buckles. Using our patented spring balanced track system, the blind easily glides up and down, stopping in any position.

- Year-round outdoor entertaining
- Control your environment
- Privacy for your backyard or deck area
- Spend less time cleaning

CONNECT WITH THE OUTDOORS

Ziptrak® blinds allow you to control airflow, light and temperature whilst remaining connected with nature. Relax and indulge in your own private retreat.

- The trusted solution for outdoor protection
- Robust design and materials
- Versatile installation options

ADD ANOTHER ROOM TO YOUR HOME

Ziptrak® outdoor blinds provide a quick, simple and affordable alternative to renovating. Expand your space without expensive renovations. Our patented system offers many features that make the blind easier to use, robust and visually unobtrusive compared with competitor products.

No ropes, no zips, no straps, no buckles.

FEATURES

WIDTH X HEIGHT

Minimum (mm): 650 x 500
Maximum (mm): 4500 x 3500

OPERATION

Manual spring assisted - Standard
Automated (Shadeview Mesh only)

PROTECTION

Optional Flashing
Optional Full Pelmet

FABRIC

Acrylic Canvas - Docril
Shadeview Mesh
Clear 0.75mm PVC


PELMET SIZES

Small Pelmet:
Suitable for drops up to 2400mm
Large Pelmet:
Suitable for drops up to 3300mm


COLOURS

Standard Powder Coat Colours
Cordura Side Spline Colours

White



Cream



Paperbark



Black



Woodland Grey



Custom Powder Coat Colours on request

- | | | | | | |
|----|---------------------------------|----|--|----|---|
| 1 | 30x25mm Bracket Channel | | with Locking Tongue | 18 | 0.75mm Clear PVC Skin |
| 2 | Ziptrak® Track | 11 | Right Hand Bottom Bar Guide
with Locking Tongue | 19 | HT Polyester Side Spline Tape |
| 3 | Left Hand Cast End Bracket | | | 20 | Fabric Clamp (No Holes Part) |
| 4 | Right Hand Cast End Bracket | 12 | Left Hand Lock Catch | 21 | Fabric Clamp (Holes Part) |
| 5 | 63mm Keyway Tube | 13 | Right Hand Lock Catch | 22 | #6 x ½" Stainless Steel,
Pan Head Screw |
| 6 | 63mm Ziptrak® Smoothline Spring | 14 | Right Hand Top Stop | | |
| 7 | 63mm Idler Cap | 15 | Left Hand Top Stop | 23 | #8 x 25mm Counter Sunk,
Self Drilling Screw, Class 3 Galv. |
| 8 | Ziptrak® Bottom Rail | 16 | Guide Funnel | 24 | Motor - automation |
| 9 | Centre Lock Release Handle | 17 | Top & Bottom Extruded PVC
Spline Tape | | |
| 10 | Left Hand Bottom Bar Guide | | | | |




REMOVABLE POST

If an opening is too wide for one Ziptrak blind, add a removable post so the opening can be split into two blinds. When the blinds are in the retracted position the post can simply be removed and stored to offer an un-interrupted view. Slot the post back in position and your Ziptrak blinds are operational again. EASY!

FACE FIX CHANNEL

Offers versatility to a Ziptrak installation and is used when mounting the Ziptrak side channel on the face of a surface rather than inserting the blind between posts.




APPLICATION EXAMPLES




CENTRE LOCK RELEASE



CAST BRACKET



CAST BRACKET WITH FLASHING



FULLY ENCLOSED PELMET

